



Chlamydia

Chlamydia incidence rate per 100,000 (AA), 2012-2016




Chlamydia incidence rates have been increasing in Marion County and the state as a whole since 2012. Polk County Chlamydia incidence rates are overall about the same now as they were in 2012.

Chlamydia rates by sex per 100,000, 2017




Chlamydia incidence is higher in females than in males.

Chlamydia rates by age per 100,000, 2017



Chlamydia incidence is the highest in the 10-29 year old age group.


Chlamydia rates by race/ethnicity per 100,000, 2011-2015



Chlamydia incidence is highest among individuals that identify as African American/Black.


Gonorrhea

Gonorrhea incidence rate per 100,000 (AA), 2012-2016




Gonorrhea rates have been increasing in both Marion and Polk Counties as well as in the state as a whole.

Gonorrhea incidence rates by sex per 100,000, 2017




Gonorrhea rates are higher in males than in females.

Gonorrhea incidence rates by age per 100,000, 2017



Gonorrhea incidence is the highest in the 20-29 year old age group.


Gonorrhea incidence rates by race/ethnicity per 100,000, 2011-2015



Gonorrhea incidence is the highest for individuals that identify as African American/Black Non-Hispanic in Marion County and the state.


Syphilis

Syphilis (All-stages) incidence rate per 100,000, 2013-2017




Syphilis rates have been increasing in Marion and Polk Counties since 2016. Syphilis rates across the state have been increasing since 2013.

Syphilis incidence rates by sex per 100,000, 2017



Syphilis incidence is higher in males than in females


Syphilis incidence rates by age per 100,000, 2017



Syphilis rates in Marion County are highest in the 20-29 year old age group. In Oregon, syphilis rates are highest in the 30-39 year old age group.


HIV

HIV incidence rate per 100,000, 2012-2016




HIV incidence rates have decrease in Marion county since 2015 and have stay about the same in Oregon since 2015.

HIV incidence rates by sex per 100,000, 2011-2015




HIV incidence rates are higher in males than females.

HIV incidence per 100,000, 2011-2015



HIV incidence rates are the highest among the 30-39 years old age group.

HIV incidence per 100,000, 2011-2015



HIV incidence rates in Marion and Polk County are lower than the state as whole.